



APPLICATION FOR PERMIT
TO APPROPRIATE PUBLIC WATERS OF THE STATE OF WASHINGTON

☐ SURFACE WATER ☒ GROUND WATER

\$10.00 MINIMUM STATUTORY EXAMINATION FEE REQUIRED WITH APPLICATION

(GRAY BOXES FOR OFFICE USE ONLY)

APPLICATION NO. G 226700	W.R.I.A. 17	COUNTY Clallam	PRIORITY DATE 5/24/85	TIME 11:35 AM	ACCEPTED 15
------------------------------------	-----------------------	--------------------------	---------------------------------	-------------------------	-----------------------

APPLICANT'S NAME — PLEASE PRINT ITT Rayonier Incorporated			BUSINESS TEL. 206-532-2500
ADDRESS (STREET) P.O. Box 539 (8th & Levee Streets)			HOME TEL.
(CITY) Hoquiam	(STATE) Washington	(ZIP CODE) 98550	

DATE & PLACE OF INCORPORATION IF APPLICANT IS A CORPORATION
April 26, 1968 - Delaware Corporation

1. SOURCE OF SUPPLY	
IF SURFACE WATER	IF GROUND WATER
SOURCE (NAME OF STREAM, LAKE, SPRING, ETC.) (IF UNNAMED, SO STATE)	SOURCE (WELL, TUNNEL, INFILTRATION TRENCH, ETC.) Well
TRIBUTARY	SIZE AND DEPTH 8 inch casing 322'4" Deep

2. USE	
USE TO WHICH WATER IS TO BE APPLIED (DOMESTIC SUPPLY, IRRIGATION, MINING, MANUFACTURING, ETC.) Irrigation	
ENTER QUANTITY OF WATER REQUESTED USING UNITS OF: 6.7 CFS	CUBIC FEET PER SECOND OR GALLONS PER MINUTE 50 GPM
ACRE FEET PER YEAR 16	
TIMES DURING YEAR WATER WILL BE REQUIRED Primarily April through November	
Irrigation Season	
IF IRRIGATION, NUMBER OF ACRES 80	IF DOMESTIC USE, NUMBER OF UNITS BY TYPE, E.G. 1-HOME, 1-MOBILE HOME, 2-CAMPSITES, ETC. N/A
DATE PROJECT WAS OR WILL BE STARTED Date of Permit	DATE PROJECT WAS OR WILL BE COMPLETED December 31, 2010
IF MUNICIPAL USE, ESTIMATED POPULATION 20 YEARS FROM TODAY N/A	

3. LOCATION OF POINT OF DIVERSION/WITHDRAWAL					
3A. IF IN PLATTED PROPERTY					
LOT	BLOCK	OF (GIVE NAME OF PLAT OR ADDITION)	SECTION	TOWN	RANGE
ALSO, PLEASE ENCLOSE A COPY OF THE PLAT AND MARK THE POINT(S) OF WITHDRAWAL OR DIVERSION					

3B. IF NOT IN PLATTED PROPERTY			
ON ACCOMPANYING SECTION MAPS, ACCURATELY MARK AND IDENTIFY EACH POINT OF DIVERSION. SHOW NORTH-SOUTH AND EAST-WEST DISTANCES FROM NEAREST SECTION CORNER OR PROPERTY CORNER.			
ALSO, ENTER BELOW THE DISTANCES FROM THE NEAREST SECTION OR PROPERTY CORNER TO THE DIVERSION OR WITHDRAWAL.			
100 feet North & 70 feet West of SE Corner of SW$\frac{1}{4}$NE$\frac{1}{4}$, Section 29, Twp. 30 North, Rge. 2 West, W.			
LOCATED WITHIN (SMALLEST LEGAL SUBDIVISION) (SW$\frac{1}{4}$NE$\frac{1}{4}$)	SECTION 29	TOWNSHIP N. 30 North	RANGE (E. OR W.) W.M. 2 West
COUNTY Clallam			

4. DO YOU OWN THE LAND ON WHICH THIS SOURCE IS LOCATED. IF NOT, INSERT NAME & ADDRESS OF OWNER Yes
--

5. LEGAL DESCRIPTION OF PROPERTY ON WHICH WATER IS TO BE USED
ATTACH A COPY OF THE LEGAL DESCRIPTION OF THE PROPERTY (ON WHICH THE WATER WILL BE USED) TAKEN FROM A REAL ESTATE CONTRACT, PROPERTY DEED OR TITLE INSURANCE POLICY, OR, COPY CAREFULLY IN THE SPACE BELOW.
The W$\frac{1}{2}$ of the SE$\frac{1}{4}$ of Section 29, Township 30 North, Range 2 West, W. M., Clallam County, Washington.

I have examined this application
as required by SEPA and find that
it is: ☐ not an "action".
☒ categorically exempt.

5/28/85
DATE

K. Larkin
SIGNATURE

APPLICATION

Property Owner

ARE THERE ANY EXISTING WATER RIGHTS RELATED TO THE LAND ON WHICH THE WATER IS TO BE USED (INCLUDING WATER PROVIDED BY IRRIGATION DISTRICTS OR DITCH COMPANIES.) ☐ YES ☒ NO

IF YES, FROM WHAT SOURCE (i.e. SURFACE OR GROUND WATER) AND UNDER WHAT AUTHORITY
N/A This well is the same one used to irrigate ITT land to the North of this area however. Branded under G-2-26470 - see attached permit.

6. DESCRIPTION OF SYSTEM PROPOSED OR INSTALLED

(FOR EXAMPLE: SIZE OF PUMP, CAPACITY OF PUMP, PUMP MOTOR HORSE POWER, PIPE DIAMETER, NUMBER OF SPRINKLERS, ETC.)
The drip irrigation system includes a 7½ Hp 6" submersible pump producing 50 gallons per minute. Water shall be applied using 1.1 gallon per hour drippers blocked in groups sized to the pump. The number of drippers shall range from 140 per acre to 560 or more per acre as the seed orchard develops.

REMARKS

7. The well is completed and being used for irrigation of Rayonier's property north of Cat Lake Road.

IF 10 ACRE-FEET OR MORE OF WATER IS TO BE STORED AND/OR IF THE WATER DEPTH WILL BE 10 FEET OR MORE AT THE DEEPEST POINT, A STORAGE PERMIT MUST BE FILED IN ADDITION TO THIS PERMIT. THESE FORMS CAN BE SECURED, TOGETHER WITH INSTRUCTIONS, FROM THE DEPARTMENT OF ECOLOGY.

SIGNATURES

ITT Rayonier Incorporated
LEGAL LANDOWNERS NAME
(PLEASE PRINT)

RDM

APPLICANT'S SIGNATURE
Richard D. Hirschberg
LEGAL LANDOWNER'S SIGNATURE

P.O. Box 539, Hoquiam, Washington 98550
LEGAL LANDOWNER'S ADDRESS

FOR OFFICE USE ONLY

STATE OF WASHINGTON }
DEPARTMENT OF ECOLOGY } ss.

This is to certify that I have examined this application together with the accompanying maps and data, and am returning it for correction or completion as follows:

.....
In order to retain its priority date, this application must be returned to the Department of Ecology, with corrections, on or before....., 19.....

Witness my hand this.....day of....., 19.....